

STEEL GRATING STAIR TREADS




STEEL GRATING STAIR TREADS

Our stair treads are most commonly done in the forge bar grating. We can however make them in twistlock in mild steel and aluminium. We can manufacture stair treads to any length and width to meet your specifications. Below is a table of guidelines for different grating types and their recommended span. Steel Grating Limited also provides floor plate nosings on stair treads for definition and yellow abrasive nosings for high definition and extra grip. Serrated treads are also available.

Load Bar Size	Recommended Max Span			
	25 x 3	25 x 5	32 x 5	40 x 5
Series 1	550	900	1300	1600
Series 2	450	750	1200	1500
Series 3		500	800	

Bolted End Plate Details

Hole size 14mm




Special sizes available on request.
Note - All measurements in mm.

STEEL GRATING TYPES OF STAIR TREADS

We have eight different types of stair treads here at Steel Grating Limited, shown in the table below. A variety of nosings are available from chequer plate to perforated plate and yellow non slip nosings. The application for the stair treads will depend on which type of nosing you should use. If you are unsure which type of nosing to use please ask.

STEEL GRATING STAIR TREADS



STEEL GRATING STAIR NOSINGS AND ANTI-SLIP FLOORING

Stair nosings can be easily attached to problem areas to give non-slip properties and high definition in low light. Stair nosings can be installed on open grating, checker plates, wooden steps and concrete. Steel Grating Limited's anti-slip flooring is a range of pre-engineered, pre-formed anti-slip sheets designed to simply fit onto any existing floor surface. Tough and long-lasting, the anti-slip surface provides complete safety in virtually all conditions. Very easy to install and clean, anti-slip flooring can be cut to your requirements or trimmed onsite for a fitted finish.

Steel Grating Limited provides two types of abrasive nosings:

1. 3mm molded isophthalic polyester F.R.P nosings
2. 1.6mm galvanised back nosings

Installation methods:

- Open grating: bolt and universal clip
- Checker plate: bolt or tech screw
- Wooden step: super screw and glue
- Concrete: pin and glue

STEEL GRATING STANDARD SIZES

We stock and supply standard sizes in galvanised back and F.R.P. but can also custom-make to suit your specific requirements. Our stock sizes are as follows:

- 450 x 50 x 20
- 580 x 50 x 20
- 730 x 50 x 20
- 880 x 50 x 20
- 1030 x 50 x 20
- 1180 x 50 x 20

